

# 2200




Legendary Efficiency. Proven Success.

**MA** MARK ANDY

## Developed for Maximum Efficiency

The Mark Andy 2200 is the benchmark in printing equipment. Featuring web tension management, self-aligning cassettes and superior drying and curing systems, the 2200 is a flexible and productive press for your printing business. From the basic 2200L model to the more advanced 2200XL this press provides maximum versatility and flexibility to support any expanding business.

# 2200



## Versatile & Flexible

---



### Web Tension Management

- Vertical dancer inherently stable, providing linear unwind tension control
  - Splice platform integrated with standard web guide
  - A/C motor controlled rewind with taper tension standard
- 



### Die Station Upgrades

- Standard 2.5 inch (63mm) slots
- Larger anvil rolls — stronger, more rigid

### Improved Drying & Curing

- High-efficiency dryer system
  - Automated ramping of heat with press speed
  - Combination UV/hot air drying with a single web path
- 



### Operator Master Control Panel

- State-of-the-art touch screen design
  - Simple access and control of all press functions
  - Distributed controls for ease of operation and future expansion
- 



### Advanced Print Stations

- Self-aligning cassettes — effortless removal and installation speeds up changeover time
  - Ultra-stable off-line design — designed to support efficiency and easy set-up between and during jobs
  - Robust print station — more rigid design reduces plate roll “gap” bounce
- 

## Models to Suit Your Needs

### 2200L

Begin with a 2200L, the most economical solution, and deliver award-winning labels at an entry-level investment. It doesn't stop there. The 2200L can be upgraded as your business grows and evolves.

### 2200XL

The fully capable 2200XL is the right solution for established printing businesses with proven success. With additional upgrades to the L model, this premium print platform adds value with higher run speeds and faster changeover times.

For individualized configurations, our Custom Design Team can develop a variety of printing and converting solutions to meet many specialized applications. Ask your representative about all available options.

# 2200

## Specifications & Configurations

### Features

Print Width 10 inch/254mm	L/XL
Print Width 13 inch/330mm	L/XL
Print Width 17 inch/432mm	XL
Min Print Repeat (10 inch)	5.5 inch/140 mm
Min Print Repeat (13 inch/17 inch)	7 inch/178mm
Max Print Repeat	24 inch/610mm
Max Die Repeat	24 inch/610mm
Max Die Repeat – underside 3 inch (76mm) BR	22.5 inch/572mm
Max Die Repeat – underside 4 inch (102mm) BR	19.25 inch/489mm
Max Print Stations	8 L/12 XL
Unwind Capacity	40 inch/1016mm
Rewind Capacity	40 inch/1016mm
Speed 500 FPM (154m/min)	L/XL
Speed 750 FPM (230m/min)	Optional XL
“QC” Quick Change Cassette	L
“QC” Quick Change Drawer	XL
Open loop brake infeed pacing	XL

### Options

Variable Web Paths
Web Turn Bar
Delam/Relam
Corona Treater
High Velocity Hot Air Drying
Infrared Drying
UV Curing with Single Web Path
Viewing & Inspection Systems
Web Cleaner
Additional Dual Die Modules
Underside Die Cutting
Additional Waste Wind-up
Additional Rewind Spindle
Fan Folder & Drive
Punch Unit
RD Scorer
CK Slitter
Conveyor
Laminator

## Applications

- General Label
- Multi-web Path
- Prime Labels
- Specialty
- Tags & Tickets

With a mission to serve as your **Total Solutions Partner**, our global team is committed to delivering high quality, innovative solutions and support to help you drive profitability. Mark Andy responds to business needs by offering a broad range of equipment, education, support and supplies to printers and converters around the world.

Partnering with Mark Andy means access to leading global brands with **Mark Andy** narrow and mid-web printing presses, **Rotoflex** finishing solutions, and a complete line of **Mark Andy Print Products** consumables and pressroom supplies. All Mark Andy products are supported by the largest customer service team in the industry, committed to delivering spare parts, technical service, PM programs, retrofits and rebuilds, as well as dedicated hands-on training through **Mark Andy University**.

For your local representative  
go to [markandy.com/dealerlocator](http://markandy.com/dealerlocator)

### Global Headquarters

18081 Chesterfield Airport Road  
Chesterfield, MO USA 63005

**Tel +1 636 532 4433**

**Fax +1 636 532 1510**

**Email [info@markandy.com](mailto:info@markandy.com)**

**MA MARK ANDY**